

ACETYLCHOLINESTERASE ACTIVITY IN SYNAPTIC VESICLES OF THE MEDULLA OF RATS EXPOSED TO HIGH DOSES OF GAMMA-NEUTRON RADIATION

ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE

Defense Atomic Support Agency

Bethesda, Maryland

Approved for public release; distribution unlimited

All aspects of investigative programs involving the use of laboratory animals sponsored by DoD components are conducted according to the principles enunciated in the "Guide for Laboratory Animal Facilities and Care", prepared by the National Academy of Sciences - National Research Council.

ACETYLCHOLINESTERASE ACTIVITY IN SYNAPTIC VESICLES OF THE MEDULLA OF RATS EXPOSED TO HIGH DOSES OF GAMMA-NEUTRON RADIATION

J. H. DARDEN A. A. RENE J. L. PARKER

S.J. Baum

Chairman

Experimental Pathology Department

HUGH B. MITCHELL Colonel, USAF, MC

Director

ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE
Defense Atomic Support Agency
Bethesda, Maryland

Approved for public release; distribution unlimited

ACKNOWLEDGMENT

The authors wish to acknowledge the technical assistance of $\ensuremath{\mathrm{M.}}$ L. Guimond.

TABLE OF CONTENTS

																						Pag
Foreword (N	onte	ehn	iea.	l sı	ımr	nary) .	•	•	•	•		•		•	•	•	•		•	•	iii
Abstract	•	•	•		•		•	•		•						•				•	•	v
I. Introdue	tion		•		•		•	•	•	•	•	•	•	•	•	•	•	•		•	•	1
II. Materia	ls ar	nd I	vIet.	hod	ls		•	•	•	•		•	•	•				•	•		•	1
III. Results	•							•					•		•							3
IV. Discuss	ion	•						•		•												6
References .	•	•	•		•		•	•	•									•				9
	fra Jowr der me ani	etio y p nsit dul ma	on rot y g la l	ein rad nom exp	as lien nog ose	say on tube enated to aeris	ens of toe for the control of the co	he I ollo 0,0 kra	grae • • • • • • • • • • • • • • • • • • •	die rac g h g fo	nt s tion igh or 3 mix	sep: ns e sp 8-1, ed	eoll eed /2 l gar	l ee hou nm	entr rs) a-r	fro ifu ob eut	om gat tain	as ion ned	of			3
Figure 3.]	and Lowr der me ani rad	y p nsit dul ma liat	rot y g la l ls e	un ein rad nom exp	irr as lien ose d s	adiat say e at tuk enate ed to aerif	of the following the second se	eon he I ollo 0,0 kra	tro P ₃ f win 00 i ds	ls Frae g h g fo of r	igh or 3 nix	ns sp 3-1,	eol eed /2 l gar	l ce nou	ted enti rs) a-r	fro rifu ob	om gat tain tron	as ion ned	of		• е	5
Table I. I	E nzy i	me	Ac	tivi	ity	adiat (ACI genat	ΗE)	T in S	AB Sam	LE iple								es o	· of	٠	•	5

FOREWORD (Nontechnical summary)

Synaptic vesicles are small sac-shaped organelles containing the neurotransmitting agent acetylcholine. Localized along the external membrane of the synaptic vesicle is acetylcholinesterase, a hydrolytic enzyme.

During a synapse, an impulse is transmitted across the synaptic gap. This impulse is initiated by acetylcholine. The primary means for termination of impulses is by the inactivation of acetylcholine by acetylcholinesterase. Therefore, acetylcholinesterase (ACHE) acts as a controlling mechanism for impulse transmission. Indeed, the absence of ACHE or the reduction of normal ACHE activity could be catastrophic, resulting in a neurosynaptic block (uncontrolled or blocked transmissions of impulses). This condition, which can be potentiated by drugs such as eserine (physostigmine), can be functionally incapacitating resulting in numerous physiological problems leading to death.

The present study was therefore designed to determine the effect radiation has on ACHE activity at doses considered to be incapacitating. It was observed that the activity or concentration of the enzyme was significantly reduced after irradiation. This possibly could have been due to increased permeability of the synaptic membrane along with a reduction in functional vesicles due to a complete rupture or destruction of the vesicle membrane. In addition, the damage is believed to occur shortly after irradiation.

ABSTRACT

Sprague-Dawley rats were subjected to a whole-body dose of 15 krads of mixed gamma-neutron radiation. At 2 and 24 hours following irradiation 14 animals from the irradiated group and 14 unirradiated controls were sacrificed by replacing the blood in the brain circulation by perfusion with a sucrose-eserine solution. The medulla section of the brain was removed, homogenized and prepared for ultracentrifugation and sucrose density gradient separation. The separated synaptic vesicles were assayed for protein and acetylcholinesterase (ACHE). A decrease in protein was found 2 hours after irradiation with a greater decrease 22 hours later. A decrease in ACHE activity was also seen 2 hours after irradiation but there was no further decrease at 24 hours. These results were correlated with vascular changes found during the central nervous system (CNS) syndrome.

I. INTRODUCTION

Acetylcholinesterase, an enzyme found along the external membrane of synaptic vesicles, has as its role hydrolysis of acetylcholine.^{5,9,10} By doing so it ends a previous impulse transmission and allows the start of subsequent impulses. Under normal conditions the balance of the transmitter substance, acetylcholine (ACH), and the hydrolyzing agent, acetylcholinesterase (ACHE), is such that impulses are under complete control during nerve stimulation. It has been reported that radiation causes a reduction in ACHE activity and an increase in ACH activity in various areas of the brain. 1, 4, 11, 12, 14, 15 This could indicate functional or structural changes in the synaptic vesicles. Also, animals injured by relatively high doses of radiation (greater than 2 krads) experience prior to death a set of symptoms termed the central nervous system (CNS) syndrome. During the early stages of the CNS syndrome the animals experience changes in blood pressure and respiration.² These physiological functions are primarily controlled by areas located in the medulla. It is then possible to postulate that changes in the concentrations of ACH or ACHE induced by high doses of radiation might cause alterations of the physiological functions of these brain areas. Therefore, the object of the present experiment was to measure possible postirradiation changes in the concentration of ACHE in synaptic vesicles of areas of the medulla oblongata which control blood pressure and to correlate them with functional deterioration.

II. MATERIALS AND METHODS

Fifty-six Sprague-Dawley rats weighing approximately 200 grams were divided into two groups. One group was exposed to 15 krads of whole-body mixed gamma-neutron

radiation from the AFRRI-TRIGA reactor, while the other group served as an unirradiated control.

At 2 hours and at 24 hours following irradiation, 14 animals from each group (control and experimental) were anesthetized with 0.25 ml of Sodium Nembutal (50 mg/ml) and the blood in the brain circulation replaced by perfusion with a sucrose-eserine solution (0.32 M and 5 x 10^{-5} M respectively). Sucrose (0.32 M) was used alone with no difference in results. The brains from the animals were removed and the medulla along with a portion of the brainstem was dissected and separated. This portion of the brain of each group of animals was weighed and placed in 20 ml of cold sucrose (1:10 w/v) where it was minced and then homogenized.


The homogenate was centrifuged at 1000 g for 10 minutes to remove red blood cells and nuclear debris. The supernatant was centrifuged twice for 20 minutes at 12,000 g. The resultant pellet termed P_2 was resuspended in 2.5 ml of the solution used for homogenization and was saved for ultracentrifugation and sucrose density gradient separation. The remaining supernatant was centrifuged again for 60 minutes at 30,000 g and the new supernatant was discarded. The new pellet termed P_3 was resuspended in 2.5 ml of sucrose solution and was also saved for ultracentrifugation. The P_2 and P_3 pellets resuspended in sucrose solution were layered over a continuous sucrose density gradient, density range 1.12-1.19, with an 8-ml layer of heavy sucrose on the bottom to act as a cushion. They were then centrifuged for 3-1/2 hours at 90,000 g. Two-milliliter fractions were collected and the synaptic membrane was broken by freezing and thawing 10 times. In order to locate the fractions containing acetylcholinesterase in the density gradient separation, the amount of protein in each

fraction was determined by the method of Lowry et al.⁸ The fractions were subsequently analyzed for acetylcholinesterase (ACHE). ACHE activity was determined by the method of Ellman et al.⁶ with acetylthiocholine iodide as the substrate buffered with 0.1 M phosphate buffer, pH 8.0. The color reagent was buffered dithiobisnitrobenzoic acid (DTNB). Portions of the synaptic vesicle fractions were checked for purity with the Siemens Elmiskop 1A electron microscope for both P₂ and P₃ fractions.

III. RESULTS

The results of the sucrose density gradient show the P_2 fraction to be separated into three distinct bands (Figure 1). The uppermost band consisted of soluble protein and clumps of floating synaptic vesicles found between densities of 1.12-1.14. This was followed by the microsomal band at densities of 1.15-1.16 and the mitochondrial band found between densities of 1.17-1.19.

The results of the P₃ fractions were very similar with one exception, the absence of a mitochondrial band, which was eliminated during preparative centrifugation.



Figures 2 and 3 illustrate the results of the Lowry protein assay on the collected 2-ml samples of both the control and irradiated P_2 and P_3 fractions. All the samples were assayed for acetylcholinesterase (ACHE). Those samples indicating the highest specific activity for ACHE were found to contain primarily synaptic vesicles. These were fractions 24 and 25 on Lowry protein assays (Figures 2 and 3).

Figure 2 illustrates the results of the P₂ fractions of control animals and animals 2 hours and 24 hours postirradiation. The results as seen in fractions 24 and 25 indicate a significant decrease (p<.01) in the protein concentration of samples containing synaptic vesicles in irradiated rats when compared with those of the unirradiated controls.

The 2-hour 24th and 25th fractions (Figure 2) show an average decrease of 12.6 percent in protein from control values (p<.01) while the decrease in the 24-hour sample is 42.8 percent (p<.01). When the irradiated fractions are compared with each other, the 24-hour sample demonstrates a 34.6 percent decrease in protein (p<.01).

A similar assay of the P_3 fraction for 24 and 25 (Figure 3) shows no significant changes in protein concentration between the irradiated samples and the unirradiated controls.

The results of the ACHE assay for the synaptic vesicle samples for both P_2 and P_3 pellets are presented in Table I. In the samples collected from the control animals, the rate (R) of hydrolysis is 4.02 and 3.24 μ moles/min per g for P_2 and P_3 respectively, where R is the rate in μ moles substrate hydrolyzed per minute per gram of tissue and depends on substrate concentration. Similar measurements in the 2-hour postirradiated animals resulted in R equal to 1.31 for P_2 and 1.20 for P_3




Figure 2. Lowry protein assay of the P_2 fractions collected from a sucrose density gradient tube following high speed centrifugation of medulla homogenate (90,000 g for 3-1/2 hours) obtained from animals exposed to 15 krads of mixed gamma-neutron radiation and sacrificed 2 and 24 hours after exposure and from unirradiated controls.




Figure 3. Lowry protein assay of the P_3 fractions collected from a sucrose density gradient tube following high speed centrifugation of medulla homogenate (90,000 g for 3-1/2 hours) obtained from animals exposed to 15 krads of mixed gamma-neutron radiation and sacrificed 2 and 24 hours after exposure and from unirradiated controls.

Table I. Enzyme Activity (ACHE) in Samples of Synaptic Vesicles of Medulla Homogenates of Control and Irradiated Rats (15 krads, sacrificed 2 and 24 hours after exposure)

		P ₂ *	P ₃ *			
	Rate†	Percent decrease	Rate†	Percent decrease		
Control	4.02		3.24			
2 hours	1.31‡	67	1.20‡	62		
24 hours	1.28‡	68	1.16‡	62		

^{*} P₂ and P₃ represent two stages of purity of the synaptic vesicles in the separation procedure

which is significantly different (p<.01) from the controls. The 24-hour postirradiation samples were also significantly different from the control values (P_2 = 1.28 and P_3 = 1.16). There were no significant differences between the 2-hour and 24-hour postirradiation samples.

IV. DISCUSSION

This study clearly shows a decrease in ACHE activity in both the P_2 and P_3 fractions of synaptic vesicles 2 and 24 hours after exposure. These data also suggest that the damage causing the decrease in ACHE activity occurs within 2 hours because the ACHE activity does not show any further decrease 24 hours after exposure. This decrease in activity might be caused by increased permeability of the synaptic vesicle membrane permitting release of ACH. The resulting increase in free ACH outside of the synaptic vesicles would then be hydrolyzed by the ACHE found along the synaptic vesicle membrane. This could possibly account for the observed net decrease in ACHE. However, even if ACH release continues at the normal or even an increased

⁺ μmoles/min per g

t p value is < .01

rate and is hydrolyzed at a reduced rate due to radiation-induced reduction in ACHE synthesis, ACH concentration might be increased. Indeed, reports by several investigators using various animals and radiation doses have shown an increase in ACH postirradiation. 1,11,12,14,15 In addition, due to the isolation procedure employed in this study, we were able to isolate almost pure synaptic vesicles which gives us a better model of the ACH-ACHE synaptic complex without influence from other brain systems.

In light of the experimental conditions utilized, the present data suggest that at supralethal doses, there is probably complete alteration of the synaptic vesicle membrane to the point of total destruction, resulting in a drastic drop in ACHE activity. This is attested to by a decrease in protein concentration in collected synaptic vesicles 2 hours after irradiation with a greater decrease 24 hours postirradiation. There is also ample evidence that supralethal doses of radiation cause damage to vessels and capillaries of brain tissue and the blood-brain barrier. This is indicated by an increase in capillary permeability accompanied by hemorrhage and edema.² Collectively these symptoms are part of the total central nervous system (CNS) syndrome. In addition, radiation doses as low as 25 R have been found to increase the sensitivity of the blood-brain barrier to ACH in mice. There are also results which show that administration of ACHE inhibitors to animals increases the permeability of the bloodbrain barrier. 15 It is then possible to postulate that the ACHE decrease and/or ACH increase after high doses of irradiation might play a considerable role in the CNS syndrome. Also, since our results indicate early ACHE reduction within 2 hours. the possibility arises that the ACH-ACHE synaptic complex might be responsible in

some way for the early temporary incapacitation (ETI) reported by Seigneur and Brennan¹³ in monkeys and Casarett and Comar³ in rats.

The present studies have indicated a decrease in the activity of ACHE in the synaptic vesicles of the irradiated rats' medulla. This decrease has been attributed to increased permeability of the synaptic vesicle membrane possibly leading to its complete destruction. The present data also suggest that the decreased ACHE activity accompanied by increased ACH activity^{1,11,12,14,15} might play a considerable role in the alteration of permeability in the blood-brain barrier and/or the vascular system. Finally, it is suggested that these physiological disturbances are involved in producing early incapacitation in animals subjected to high doses of ionizing radiation.

REFERENCES

- 1. Avellone, S., Ortolani, E. A. and Zagami, M. T. Effects of radiation on the central nervous system. VIII. Modification of the content of acetylcholine [in Italian]. Boll. Soc. Ital. Biol. Sper. 44:1843-1845, 1968.
- 2. Bond, V. P., Fliedner, T. M. and Archambeau, J. O. Mammalian Radiation Lethality. New York, N. Y., Academic Press, 1965.
- 3. Casarett, A. P. and Comar, C. L. Incapacitation and performance decrement following split doses of fission spectrum radiation. Ithaca, New York, Department of Physical Biology, New York State Veterinary College, Cornell University (Final Summary Report, Contract No. DASA-01-68-C-0162), 1970.
- 4. Danilenko, V. S. Effect of roentgen irradiation on the biological activity of adrenalin and acetylcholin [in Ukrainian]. Farm. Zh. (Kiev) 23(4):76-78, 1968.
- 5. De Robertis, E. Structural aspects of biosynthesis of transmitter substances. Excerpta Medica 77:14-15, 1964.
- 6. Ellman, G. L., Courtney, D. K., Valentino, A., Jr. and Featherstone, R. M. A new and rapid colorimetric determination of acetylcholinesterase activity. Biochem. Pharmacology 7:88-95, 1961.
- 7. Gromakovskaya, M. M. The role of humoral mechanisms in the change in the state of the blood-brain barrier under the influence of low doses of X-rays. Radiobiology 9(5):156-161, 1969 [AEC-tr-7136 translation of Radiobiologiya (Moskva)9:760-763, 1969].
- 8. Lowry, O. H., Rosebrough, N. J., Farr, A. L. and Randall, R. J. Protein measurement with the Folin phenol reagent. J. Biol. Chem. 193:265-275, 1951.
- 9. McCaman, R. E., De Lores Arnaiz, G. R. and De Robertis, E. Species differences in subcellular distribution of choline acetylase in the CNS. A study of choline acetylase, acetylcholinesterase, 5-hydroxytryptophan decarboxylase, and monoamine oxidase in four species. J. Neurochemistry 12:927-935, 1965.
- 10. McLennan, H. Synaptic transmission. Philadelphia and London, W. B. Saunders Company, 1963.
- 11. Mtskhvetadze, A. V. and Kucherenko, T. M. Direct and mediated influence of radiation on the transmission of excitation in the upper cervical sympathetic ganglion of the cat. Radiobiology 8(4):193-199, 1968 [AEC-tr-7014 translation of Radiobiologiya (Moskva)8:624-627, 1968].

- 12. Mtskhvetadze, A. V. and Titova, R. I. On the role of mediators of the mechanism underlying the disturbance of stimulation transmission in a sympathetic ganglion of an irradiated organism [in Russian]. Dokl. Akad. Nauk SSSR 185: 479-481, 1969.
- 13. Seigneur, L. J. and Brennan, J. T. Incapacitation in the monkey (<u>Macaca mulatta</u>) following exposure to a pulse of reactor radiations. Bethesda, Maryland, Armed Forces Radiobiology Research Institute Scientific Report SR66-2, 1966.
- 14. Ul'yanitskaya, A. E. Influence of ionizing radiation on the functional state of the frog neuromuscular synapse. Radiobiology 10(1):79-87, 1970 [AEC-tr-7154 translation of Radiobiologiya (Moskva)10:54-58, 1970].
- 15. Zubkova, S. R. and Chernavskaya, N. M. Alteration of cholinesterase activity in rat tissues at various intervals after irradiation [in Russian]. Dokl. Akad. Nauk SSSR 126:416-419, 1959.

DISTRIBUTION LIST

AIR FORCE

The Surgeon General, U. S. Department of the Air Force, Washington, D. C. 20333 (1)

Executive Officer, Director of Professional Services, Office of the Surgeon General, Hq. USAF (AFMSPA) T-8, Washington, D. C. 20333 (1)

Headquarters, U. S. Air Force (AFMSPAB), Washington, D. C. 20333 (1)

USAFSAM (SMBR), ATTN: Chief, Radiobiology Branch, Brooks AFB, Texas 78235 (1)

Air Force Weapons Laboratory, ATTN: WLIL (1), ATTN: WLRB-2 (1), Kirtland AFB, New Mexico 87117 (2)

Chief, Nuclear Medicine Department, P. O. Box 5088, USAF Hospital, Wright-Patterson AFB, Ohio 45433 (1)

Office of the Command Surgeon (ADCSG), Hq. ADC, USAF, Ent AFB, Colorado 80912 (1)

Commander, 6571st Aeromedical Research Laboratory, Holloman AFB, New Mexico 88330 (2)

ARMY

The Surgeon General, U. S. Department of the Army, Washington, D. C. 20315 (1)

Surgeon General, ATTN: MEDDH-N, U. S. Department of the Army, Washington, D. C. 20315 (1)

USACDC CSSG, Doctrine Division, Fort Lee, Virginia 23801 (1)

CG, USCONARC, ATTN: ATUTR-TNG (NBC), Fort Monroe, Virginia 23351 (1)

Commanding Officer, U. S. Army Medical Research Laboratory, Fort Knox, Kentucky 40121 (1)

Commanding Officer, USA Nuclear Medical Research Detachment, Europe, APO New York, N. Y. 09180 (2)

Army Research Office, ATTN: Chief, Scientific Analysis Branch, Life Sciences Division, 3045 Columbia Pike, Arlington, Virginia 22204 (1)

Division of Nuclear Medicine, Walter Reed Army Institute of Research, Walter Reed Army Medical Center Washington, D. C. 20012 (5)

Commanding Officer, U. S. Army Environmental Hygiene Agency, ATTN: USAEHA-RP, Edgewood Arsenal, Maryland 21010 (1)

Commandant, U. S. Army Medical Field Service School, ATTN: MEDEW-ZNW, Fort Sam Houston, Texas 78234 (1)

NAVY

Chief, Bureau of Medicine and Surgery, U. S. Navy Department, Washington, D. C. 20390 (1)

Chief, Bureau of Medicine and Surgery, ATTN: Code 71, U.S. Navy Department, Washington, D. C. 20390 (1)

Director, Biological Sciences Division, Office of Naval Research, Washington, D. C. 20360 (1)

Commanding Officer, Naval Aerospace Medical Institute, NAMC, ATTN: Research Director, Pensacola, Florida 32512 (3)

Head, Animal Behavioral Sciences Branch, Naval Aerospace Medical Institute, Naval Aerospace Medical Center, ATTN: Dr. John S. Thach, Jr., Pensacola, Florida 32512 (1)

Commanding Officer, U. S. Naval Hospital, ATTN: Director, REEL, NNMC, Bethesda, Maryland 20014 (1) Commanding Officer, Nuclear Weapons Training Center, Atlantic, Nuclear Warfare Department, Norfolk, Virginia 23511 (1)

Commanding Officer, Naval Submarine Medical Center, Naval Submarine Base, NL, ATTN: Medical Library, Groton, Connecticut 06340 (1)

Commanding Officer, Naval Submarine Medical Center, Naval Submarine Base, NL, ATTN: Code 53, Nuclear Medicine Training Division, Groton, Connecticut 06340 (1)

D. O. D.

Director, Defense Atomic Support Agency, Washington, D. C. 20305 (1)

Director, Defense Atomic Support Agency, ATTN: DDST, Washington, D. C. 20305 (1)

Director, Defense Atomic Support Agency, ATTN: Chief, Medical Directorate, Washington, D. C. 20305 (4)

Director, Defense Atomic Support Agency, ATTN: Technical Library (APTL), Washington, D. C. 20305 (2)

Commander, Field Command, Defense Atomic Support Agency, ATTN: FC Technical Library, Sandia Base, Albuquerque, New Mexico 87115 (1)

Director, Armed Forces Institute of Pathology, Washington, D. C. 20305 (1)

Administrator, Defense Documentation Center, Cameron Station, Bldg. 5, Alexandria, Virginia 22314 (20)

OTHER GOVERNMENT

- U. S. Atomic Energy Commission, Headquarters Library, Reports Section, Mail Station G-17, Washington, D. C. 20545 (1)
- U. S. Atomic Energy Commission, Division of Biology and Medicine, Washington, D. C. 20545 (1)
- U. S. Atomic Energy Commission, Bethesda Technical Library, 7920 Norfolk Avenue, Bethesda, Maryland 20014 (1)

OTHER GOVERNMENT (continued)

- National Aeronautics and Space Administration, ATTN: Lt. Col. Charles M. Barnes, USAF, DB-3, MSC, Houston, Texas 77058 (1)
- National Aeronautics and Space Administration, Manned Spacecraft Center, ATTN: Dr. B. D. Newsom, Mail Code DA, Houston, Texas 77058 (1)
- National Bureau of Standards, ATTN: Chief, Radiation Physics Division, Washington, D. C. 20234 (1)
- U. S. Public Health Service, Bureau of Radiological Health, Division of Biological Effects, 12720 Twinbrook Parkway, Rockville, Maryland 20852 (1)
- U. S. Public Health Service, Bureau of Radiological Health, Library, 12720 Twinbrook Parkway, Rockville, Maryland 20852 (1)
- U. S. Public Health Service, Northeastern Radiological Health Laboratory, 109 Holton Street, Winchester, Massachusetts 01890 (1)
- U. S. Public Health Service, Southeastern Radiological Health Laboratory, P. O. Box 61, Montgomery, Alabama 36101 (1)
- U. S. Public Health Service, Southwestern Radiological Health Laboratory, P. O. Box 15027, Las Vegas, Nevada 89114 (1)

OTHER

vania 19104 (1)

- Argonne National Laboratory, Library Services Department, Report Section Bldg. 203, RM-CE-125, 9700 South Cass Avenue, Argonne, Illinois 60440 (1)
- Dr. Donald G. Baker, Radiobiology Department, Zellerbach Saroni Tumor Institute, 1600 Divisadero Street, San Francisco, California 94115 (1)
- Dr. J. T. Brennan, Radiology Department, University of Pennsylvania, 3400 Spruce Street, Philadelphia, Pennsylvania 19104 (1)
- Brookhaven National Laboratory, Information Division, ATTN: Research Library, Upton, Long Island, New York 11973 (2)
- Dr. J. S. Burkle, Director of Nuclear Medicine, York Hospital, York, Pennsylvania 17403 (1)
- Director, Radiobiology Laboratory, University of California, Davis, California 95616 (1)
- University of California, Lawrence Radiation Laboratory, Library, Bldg. 50, Room 134, Berkeley, California 94720 (1)
- University of California, Lawrence Radiation Laboratory, Technical Information Division Library L-3, P. O. Box 808, Livermore, California 94551 (2)
- University of California, Laboratory of Nuclear Medicine and Radiation Biology, Library, 900 Veteran Avenue, Los Angeles, California 90024 (1)
- Cdr. William H. Chapman, USN (Ret.), Bio-Medical Division L-523, Lawrence Radiation Laboratory, University of California, P. O. Box 808, Livermore, California 94551 (1)
- Director, Collaborative Radiological Health Laboratory, Colorado State University, Fort Collins, Colorado 80521 (1) Dr. L. W. Davis, Radiology Department, University of Pennsylvania, 3400 Spruce Street, Philadelphia, Pennsylvania, Pennsylvania, Spruce Street, Philadelphia, Pennsylvania, Spruce Street, Philadelphia, Pennsylvania, Philadelphia, Pennsylvania, Philadelphia, Pennsylvania, Philadelphia, Philad
- Professor Merril Eisenbud, New York University, Tuxedo, New York 10987 (1)
- Dr. T. C. Evans, Radiation Research Laboratory, College of Medicine, University of Iowa, Iowa City, Iowa 52240 (1)
- Dr. Arnold Feldman, Institute of Radiology, School of Medicine, Washington University, 510 South Kingshighway, St. Louis, Missouri 63110 (1)
- Mr. Orin Gelderloos, Division of Literature, University of Michigan, Dearborn Campus, Dearborn, Michigan 48124 (1)
- General Dynamics/Fort Worth, ATTN: Librarian, P. O. Box 748, Fort Worth, Texas 76101 (1)
- Gulf General Atomic Incorporated, ATTN: Library, P. O. Box 608, San Diego, California 92112 (1)
- IIT Research Institute, ATTN: Document Library, 10 West 35th Street, Chicago, Illinois 60616 (1)
- Dr. R. F. Kallman, Department of Radiology, Stanford University, Palo Alto, California 94305 (1)
- Dr. L. S. Kelly, Donner Laboratory, University of California at Berkeley, Berkeley, California 94720 (1)
- Los Alamos Scientific Laboratory, ATTN: Report Librarian, P. O. Box 1663, Los Alamos, New Mexico 87544 (1) Director, Nuclear Science Center, Louisiana State University, Baton Rouge, Louisiana 70803 (2)
- Lovelace Foundation for Medical Education and Research, Document Library, 5200 Gibson Blvd., S. E., Albuquerque, New Mexico 87108 (1)
- Dr. Ross A. McFarland, Guggenheim Professor of Aerospace Health and Safety, Harvard School of Public Health, 665 Huntington Avenue, Boston, Massachusetts 02115 (1)
- Dr. J. I. Marcum, Rand Corporation, 1700 Main Street, Santa Monica, California 90401 (1)
- Massachusetts Institute of Technology, M.I.T. Libraries, Technical Reports, Room 14 E-210, Cambridge, Massachusetts 02139 (1)

OTHER (continued)

- Dr. Charles W. Mays, Physics Group Leader, Radiobiology Division, University of Utah, Salt Lake City, Utah 84112 (1)
- Ohio State University, Nuclear Reactor Laboratory, 1298 Kinnear Road, Columbus, Ohio 43212 (1)
- Dr. Harvey M. Patt, Laboratory of Radiobiology, University of California, San Francisco Medical Center, San Francisco, California 94122 (1)
- Purdue University, Nuclear Engineering Library, Lafayette, Indiana 47907 (1)
- Dr. S. M. Reichard, Director, Division of Radiobiology, Medical College of Georgia, Augusta, Georgia 30902 (1)
- University of Rochester, Atomic Energy Project Library, P. O. Box 287, Station 3, Rochester, New York 14620 (1)
- Dr. H. H. Rossi, 630 West 168th Street, New York, N. Y. 10032 (1)
- Dr. Eugene L. Saenger, Director, Radioisotope Laboratory, Cincinnati General Hospital, Cincinnati, Ohio 45229 (1)
- Sandia Corporation Library, P. O. Box 5800, Albuquerque, New Mexico 87115 (1)
- Scientific Committee on the Effects of Atomic Radiation, ATTN: Library, United Nations Room 3267, United Nations Plaza, New York, N. Y. 10017 (1)
- Scope Publications, Franklin Station, P. O. Box 7407, Washington, D. C. 20004 (1)
- Dr. Arthur R. Tamplin, Biophysicist, Information Integration Group, University of California, Lawrence Radiation Laboratory, L-612, Livermore, California 94550 (1)
- Texas A. and M. University, Radiation Biology Laboratory, Texas Engineering Experiment Station, College Station, Texas 77840 (2)
- Texas Nuclear Corporation, ATTN: Director of Research, Box 9267 Allandale Station, Austin, Texas 78756 (1)
- Western Reserve University, Department of Radiology, Division of Radiation Biology, Cleveland, Ohio 44106 (1)
- Mr. Lionel Zamore, 601 Brightwater Court, Brooklyn, New York 11235 (1)

FOREIGN

- International Atomic Energy Agency, Kärntnerring 11, Vienna I, 1010, Austria (1)
- European Atomic Energy Community, C.E.E.A., Library, 51 rue Belliard, Brussels 4, Belgium (1)
- Dr. L. G. Lajtha, Paterson Laboratories, Christie Hospital and Holt Radium Institute, Manchester, England (1)
- Dr. L. F. Lamerton, Biophysics Department, Institute of Cancer Research, Surrey Branch, Belmont, Sutton, Surrey, England (1)
- National Lending Library for Science and Technology, Boston Spa, Yorkshire, England (1)
- Directorate of Medical and Health Services, FAF (Federal Armed Forces), Bonn, Ermekeilstrasse 27, West Germany (1)
- Abteilung für Strahlenbiologie im Institut für Biophysik der Universität Bonn, 53 Bonn-Venusberg, Annaberger Weg 15, Federal Republic of Germany (2)
- Prof. Dr. H. Langendorff, Direktor des Radiologischen Instituts der Universität, 78 Freiburg im Breisgau, Albertstrasse 23, Germany (1)
- Priv. Doz. Dr. O. Messerschmidt, Radiologisches Institut der Universität, 78 Freiburg im Breisgau, Albertstrasse 23, Germany (1)
- Dr. Helmut Mitschrich, Akademie des Sanitats- und Gesundheitswesens der Bundeswehr, Spezialstab ATV, 8 München, Schwere Reiterstrasse 4, Germany (2)
- Prof. Dr. F. Wachsmann, Gesellschaft für Strahlenforschung m.b. H., 8042 Neuherberg bei München, Institut für Strahlenschutz, Ingolstadter Landstrasse 1, München, Germany (1)
- Col. Joachim Emde, Direktor, Spezialstab ATV, ABC-und Selbstschutzschule, 8972 Sonthofen 2/Allgäu, Berghoferstrasse 17, West Germany (1)
- Dr. M. Feldman, Section of Cell Biology, The Weizmann Institute of Science, Rehovoth, Israel (1)
- Dr. G. W. Barendson, Radiobiological Institute TNO, Rijswijk, Netherlands (1)
- Puerto Rico Nuclear Center, ATTN: Reading Room, College Station, Mayaguez, Puerto Rico 00708 (2)
- Dr. H. Cottier, Pathological Institut der Universität, Bern, Switzerland (1)

UNCLASSIFIED								
Security Classification								
Socretty classification of title								

Security Classification										
DOCUMENT CONTR	ROL DATA - R &	k D								
(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)										
1. ORIGINATING ACTIVITY (Corporate author) 2a. REPORT SECURITY CLASSIFICA										
Armed Forces Radiobiology Research Institute	UNCLASSIFIED									
Defense Atomic Support Agency	2b, GROUP									
Bethesda, Maryland 20014	N/A									
REPORT TITLE										
ACETYLCHOLINESTERASE ACTIVITY IN SYNAPTIC VESICLES OF THE MEDULLA										
OF RATS EXPOSED TO HIGH DOSES OF GAMMA-NEUTRON RADIATION										
of fallo mil opin to main booms of annual tradition and military										
4. OESCRIPTIVE NOTES (Type of report and inclusive dates)										
*										
5. AUTHOR(S) (First name, middle initial, last name)										
J. H. Darden, A. A. René and J. L. Parker										
6. REPORT OATE	78. TOTAL NO. O	FPAGES	7b. NO. OF REFS							
April 1971	1	17 15								
BA. CONTRACT OR GRANT NO.	98. ORIGINATOR'S REPORT NUMBER(S)									
b. PROJECT NO. NWER XAXM	AFRRI SR71-5									
c. Task and Subtask C 902	9b. OTHER REPORT NO(5) (Any other numbers that may be assigned									
this report)										
d. Work Unit 03										
10. DISTRIBUTION STATEMENT	1									
Approved for public release; distribution unlimited										
11. SUPPLEMENTARY NOTES	12. SPONSORING	MILITARY ACTI	VITY							
Director										
	Defense Atomic Support Agency									
Washington, D. C. 20305										
13. ABSTRACT	1									
13. 703 (17.0)										
			1 1 6 • 1							

Sprague-Dawley rats were subjected to a whole-body dose of 15 krads of mixed gamma-neutron radiation. At 2 and 24 hours following irradiation 14 animals from the irradiated group and 14 unirradiated controls were sacrificed by replacing the blood in the brain circulation by perfusion with a sucrose-eserine solution. The medulla section of the brain was removed, homogenized and prepared for ultracentrifugation and sucrose density gradient separation. The separated synaptic vesicles were assayed for protein and acetylcholinesterase (ACHE). A decrease in protein was found 2 hours after irradiation with a greater decrease 22 hours later. A decrease in ACHE activity was also seen 2 hours after irradiation but there was no further decrease at 24 hours. These results were correlated with vascular changes found during the central nervous system (CNS) syndrome.

DD FORM 1473

(PAGE 1)

UNCLASSIFIED Security Classification

S/N 0101-807-6801